


## GARDEN HOSE

## BRASS FITTINGS

## SWIVEL - MGH X FGH

•WASHER INCLUDED

Internal Hex



| Part #   | MGH X FGH   | A    | Hex   | Approx. Wt. Lbs. |  |
|----------|-------------|------|-------|------------------|--|
| 30-000** | 3/4" x 3/4" | 1.03 | 0.50* | 0.26             |  |


\* Internal Hex

\* Not a live swivel

\*\* available in swivel crimp style

## SWIVEL - FGH X FGH

•WASHER INCLUDED



| Part # | FGH X FGH   | A    | Hex       | Approx. Wt. Lbs. |  |
|--------|-------------|------|-----------|------------------|--|
| 30-011 | 3/4" x 3/4" | 1.03 | 1.18 O.D. | 0.24             |  |
| 30-012 | No Swivel   | 1.08 | 1.19      | 0.24             |  |

HUS      GSU  
 91      101GHSV 506  
 203W    22AS    FS66

## SWIVEL - FGH X FEMALE PIPE

•WASHER INCLUDED

S1      5AS  
 HSU11   21517  
 91Z      502  
 197S    FS65  
 98GHSV



| Part # | FGH x Female NPTF | A    | Hex  | Approx. Wt. Lbs. |  |
|--------|-------------------|------|------|------------------|--|
| 30-001 | 3/4" x 1/2"       | 1.20 | 1.00 | 0.11             |  |
| 30-006 | 3/4" x 3/4"       | 1.11 | 1.12 | 0.11             |  |

## RIGID - FGH X FEMALE PIPE

•WASHER INCLUDED



95GH  
 501


| Part # | FGH x Female NPTF | A    | Hex  | Approx. Wt. Lbs. |  |
|--------|-------------------|------|------|------------------|--|
| 30-016 | 3/4" x 1/8"       | 1.02 | 1.18 | 0.08             |  |
| 30-017 | 3/4" x 1/4"       | 0.65 | 1.12 | 0.07             |  |
| 30-018 | 3/4" x 3/8"       | 1.19 | 1.18 | 0.11             |  |

THE BEST WAY TO PREDICT THE FUTURE IS TO INVENT IT.

- ALAN KAY

## RIGID - FGH X FEMALE PIPE

FS67  
198  
HU11  
21507  
501  
99GH  
5A  
H15PP




| Part # | FGH x Female NPTF | A    | Hex  | Approx. Wt. Lbs. |  |
|--------|-------------------|------|------|------------------|--|
| 30-078 | 3/4" x 1/2"       | 1.06 | 1.18 | 0.10             |  |
| 30-083 | 3/4" x 3/4"       | 1.06 | 1.18 | 0.12             |  |

## SWIVEL - FGH X MALE PIPE


•WASHER INCLUDED

504  
89GH  
W1  
62H4  
88GH  
W1



| Part # | FGH x Male NPTF | A    | Hex  | Approx. Wt. Lbs. |  |
|--------|-----------------|------|------|------------------|--|
| 30-047 | 3/4" x 1/4"     | 2.04 | 0.75 | 0.13             |  |
| 30-048 | 3/4" x 3/8"     | 2.06 | 0.75 | 0.14             |  |
| 30-049 | 3/4" x 1/2"     | 2.06 | 0.87 | 0.18             |  |


## 3/8" Comp 3/4" FGH DISHWASHER 90° ELBOW



| Part # | 3/4 Female Garden Hose Thread x 3/8 Compression |  |
|--------|-------------------------------------------------|--|
| 30-055 | 3/4" x 3/8"                                     |  |
| 30-056 | 3/4" x 3/8" w/ nut & sleeve                     |  |

## SWIVEL - FGH X MALE PIPE

•WASHER INCLUDED




\* Crimp style

| Part #  | FGH x Male NPTF | A    | Hex  | Approx. Wt. Lbs. |  |
|---------|-----------------|------|------|------------------|--|
| 30-181* | 3/4" x 1/4"     | 1.43 | 1.18 | 0.13             |  |
| 30-184* | 3/4" x 3/8"     | 1.43 | 1.18 | 0.15             |  |
| 30-183  | 3/4" x 1/2"     | 1.32 | 0.81 | 0.11             |  |
| 30-182* | 3/4" x 3/4"     | 1.43 | 1.18 | 0.14             |  |

## RIGID - FGH X MALE PIPE

21505  
503  
83GH  
20A  
HU21  
199  
H7



| Part #   | FGH x Male NPTF          | A    | Hex  | Approx. Wt. Lbs. |  |
|----------|--------------------------|------|------|------------------|--|
| 30-087   | 3/4" x 3/8"              | 1.37 | 1.18 | 0.11             |  |
| 30-088   | 3/4" x 1/2" (1/2" SWT)** | 1.06 | 1.18 | 0.09             |  |
| 30-093   | 3/4" x 3/4"              | 1.06 | 1.18 | 0.11             |  |
| 30-094   | 3/4" x 3/4" (1/2" FIP)   | 1.17 | 1.18 | 0.11             |  |
| 30-093L* | 3/4" x 3/4"              | 1.22 | 1.18 | 0.14             |  |


\* Long pattern

\*\* 1/2 Swt = 5/8 O.D.

## GARDEN HOSE

## BRASS FITTINGS

## RIGID - MGH X FEMALE PIPE




197  
18R  
HU12  
H11PP  
18A  
507

18H  
81GH  
21503  
MF67

| Part # | MGH X<br>Female NPTF | A    | Hex  | Approx.<br>Wt. Lbs. |  |
|--------|----------------------|------|------|---------------------|--|
| 30-066 | 3/4" x 1/4"          | 1.10 | 1.06 | 0.09                |  |
| 30-067 | 3/4" x 3/8"          | 1.09 | 1.06 | 0.12                |  |
| 30-068 | 3/4" x 1/2"          | 0.81 | 1.06 | 0.10                |  |
| 30-073 | 3/4" x 3/4"          | 1.12 | 1.18 | 0.10                |  |

## RIGID - MGH X MALE PIPE



19R  
196  
H530  
21501  
508  
HU22

514  
71GH  
19A

| Part #      | MGH X<br>Male NPTF | A    | Hex  | Approx.<br>Wt. Lbs. |  |
|-------------|--------------------|------|------|---------------------|--|
| 30-053      | 3/4" x 3/8"        | 1.25 | 1.06 | 0.10                |  |
| 30-058*     | 3/4" x 1/2"        | 1.31 | 1.06 | 0.12                |  |
| 30-063**    | 3/4" x 3/4" x 1/2" | 1.31 | 1.06 | 0.13                |  |
| 30-063BE*** | 3/4" x 3/4"        | 1.31 | 1.06 | 0.15                |  |
| 30-063S     | 3/4" x 3/4" Short  | 1.10 | 1.06 | 0.10                |  |
| 30-064      | 3/4" x 1"          | 1.62 | 1.37 | 0.35                |  |


No Tap

\* (1/2 Swt = 5/8 O.D.)

\*\* (Tapped 1/2 FIP)

\*\*\* (Tapped 1/2 FIP Both ends)

## RIGID - MGH X MGH




21500  
509  
75GH  
23A

H8  
19R

| Part #  | MGH X<br>MGH           | A    | Hex  | Approx.<br>Wt. Lbs. |  |
|---------|------------------------|------|------|---------------------|--|
| 30-098  | 3/4" x 3/4" (1/2" FIP) | 1.22 | 1.06 | 0.13                |  |
| 30-099  | 3/4" x 3/4"            | 1.22 | 1.06 |                     |  |
| 30-100* | 1" x 3/4"              | 1.31 | 1.37 | 0.21                |  |

\* 1-11-1/2


## GARDEN HOSE NUT



94GH  
GHN1  
HNR  
21514

| Part # | Size    | A    | Hex       | Approx.<br>Wt. Lbs. |  |
|--------|---------|------|-----------|---------------------|--|
| 30-021 | Knurled | 0.61 | 1.37 O.D. | 0.08                |  |
| 30-022 | Hex Nut | 0.51 | 1.12      | 0.08                |  |

## GARDEN HOSE WASHERS




| Part #  | Size            | A    | B    | Thickness | Approx. Wt. Lbs. |  |
|---------|-----------------|------|------|-----------|------------------|--|
| 30-149  | recessed washer | 1.02 | 0.49 | 0.18      | 0.01             |  |
| 30-150  | black*          | 0.98 | 0.68 | 0.13      | 0.01             |  |
| 30-150R | red             | 1.00 | 0.68 | 0.13      | 0.01             |  |
| 30-150B | black rubber    | 1.00 | 0.68 | 0.13      | 0.01             |  |
| 30-151  | 1"              | 1.27 | 0.86 | 0.16      | 0.01             |  |

GHW  
901GH

\* plasticized rubber

## GARDEN HOSE FILTER WASHER



• 300 Series Stainless Steel Screen

| Part #  | Size    | A    | B    | Approx. Wt. Lbs. |  |
|---------|---------|------|------|------------------|--|
| 30-180  | 30 Mesh | 0.52 | 1.00 | 0.02             |  |
| 30-180F | 60 Mesh | 0.52 | 1.00 | 0.02             |  |

LA662


## GARDEN HOSE CAP - Die Cast Brass



| Part #  | Size          | A    | Approx. Wt. Lbs. |  |
|---------|---------------|------|------------------|--|
| 30-103  | 3/4" Die Cast | 0.58 | 0.04             |  |
| 30-103B | 3/4" Barstock | 0.60 | 0.048            |  |

513  
96GH  
GHN5  
HC1  
LA215  
21518  
200-W


## GARDEN HOSE CAP WITH CHAIN



| Part # | Size             | A    | Approx. Wt. Lbs. |  |
|--------|------------------|------|------------------|--|
| 30-142 | 3/4" w/ 8" Chain | 0.58 | 0.06             |  |

\* Zinc die cast

## GARDEN HOSE PLUG




| Part # | Size | A    | B    | Approx. Wt. Lbs. |  |
|--------|------|------|------|------------------|--|
| 30-026 | 3/4" | 0.69 | 0.61 | 0.12             |  |

## GARDEN HOSE

## BRASS FITTINGS

## CAST BRASS HOSE - "Y" CONNECTOR

•WASHER INCLUDED




| Part # | Size | A    | B    | Approx. Wt. Lbs. |  |
|--------|------|------|------|------------------|--|
| 30-140 | 3/4" | 1.40 | 0.67 | 0.22             |  |

• See more Garden Hose "Y"'s on page 45

## QUICK DISCONNECT GARDEN HOSE COUPLERS

•WASHER INCLUDED




- Unvalved construction allows maximum Flow
- 150 PSI
- NBR Seals

| Part # | Size       | A     | Approx. Wt. Lbs. |  |
|--------|------------|-------|------------------|--|
| 30-450 | Complete   | ----- | 0.24             |  |
| 30-451 | Female end | 1.14  | 0.12             |  |
| 30-452 | Male end   | 1.26  | 0.12             |  |

LA73C


## MALE FLARE X FGH RIGID



| Part # | Male Flare x FGH | A    | Hex  | Approx. Wt. Lbs. |  |
|--------|------------------|------|------|------------------|--|
| 30-123 | 3/8" x 3/4"      | 1.31 | 1.18 | 0.10             |  |
| 30-128 | 1/2" x 3/4"      | 1.38 | 1.18 | 0.12             |  |
| 30-133 | 5/8" x 3/4"      | 1.53 | 1.18 | 0.14             |  |

## MALE FLARE x FGH SWIVEL

•WASHER INCLUDED




| Part # | Male Flare x FGH | A    | Hex   | Approx. Wt. Lbs. |  |
|--------|------------------|------|-------|------------------|--|
| 30-052 | 1/4" x 3/4"      | 1.24 | 0.75  | 0.10             |  |
| 30-138 | 3/8" x 3/4"      | 1.25 | 0.25* | 0.12             |  |
| 30-139 | 1/2" x 3/4"      | 1.49 | 0.81  | 0.14             |  |

\* Internal Hex

## COMPRESSION X FGH

•WASHER INCLUDED




| Part # | Compression x FGH | A    | Hex 1 | Hex 2 | Approx. Wt. Lbs. |  |
|--------|-------------------|------|-------|-------|------------------|--|
| 30-050 | 1/4" x 3/4"       | 1.02 | 0.50  | 0.75  | 0.09             |  |
| 30-051 | 3/8" x 3/4"       | 1.04 | 0.62  | 0.75  | 0.12             |  |

## BARSTOCK BRASS GARDEN HOSE COUPLINGS

## FEMALE SWIVEL ONLY

•WASHER INCLUDED




## BRASS

| Part # | Hose Barb x FGH | A    | B    | Hex  | Approx. Wt. Lbs. |  |
|--------|-----------------|------|------|------|------------------|--|
| 30-031 | 3/8" x 3/4"     | 1.82 | 1.19 | 1.18 | 0.11             |  |
| 30-032 | 1/2" x 3/4"     | 1.82 | 1.19 | 1.18 | 0.12             |  |
| 30-033 | 5/8" x 3/4"     | 1.82 | 1.19 | 1.18 | 0.13             |  |
| 30-034 | 3/4" x 3/4"     | 1.82 | 1.19 | 1.18 | 0.15             |  |
| 30-044 | 1" x 3/4"       | 2.10 | 1.19 | 1.18 | 0.18             |  |
| 30-035 | 1" x 1"         | 2.28 | 1.47 | 1.50 | 0.18             |  |

## STAINLESS STEEL 316

|          |             |      |      |      |      |  |
|----------|-------------|------|------|------|------|--|
| 30-032SS | 1/2" x 3/4" | 1.82 | 1.19 | 1.18 | 0.12 |  |
| 30-033SS | 5/8" x 3/4" | 1.82 | 1.19 | 1.18 | 0.13 |  |
| 30-034SS | 3/4" x 3/4" | 1.82 | 1.19 | 1.18 | 0.15 |  |

## MALE END ONLY



## BRASS


| Part # | Hose Barb x MGH | A    | B    | Hex  | Approx. Wt. Lbs. |  |
|--------|-----------------|------|------|------|------------------|--|
| 30-039 | 3/8" x 3/4"     | 1.88 | 1.19 | 1.06 | 0.12             |  |
| 30-040 | 1/2" x 3/4"     | 1.88 | 1.19 | 1.06 | 0.12             |  |
| 30-041 | 5/8" x 3/4"     | 1.88 | 1.19 | 1.06 | 0.12             |  |
| 30-042 | 3/4" x 3/4"     | 1.88 | 1.19 | 1.06 | 0.13             |  |
| 30-045 | 1" x 3/4"       | 1.94 | 1.19 | 1.06 | 0.21             |  |
| 30-043 | 1" x 1"         | 2.34 | 1.47 | 1.37 | 0.26             |  |

## STAINLESS STEEL 316

|          |             |      |      |      |      |  |
|----------|-------------|------|------|------|------|--|
| 30-040SS | 1/2" x 3/4" | 1.88 | 1.19 | 1.06 | 0.12 |  |
| 30-041SS | 5/8" x 3/4" | 1.88 | 1.19 | 1.06 | 0.12 |  |
| 30-042SS | 3/4" x 3/4" | 1.88 | 1.19 | 1.06 | 0.13 |  |

## GARDEN HOSE COUPLING

•WASHER INCLUDED




See page 16 for Menders

## BRASS

| Part # | Hose Barb        |  |
|--------|------------------|--|
| 30-025 | 3/8"             |  |
| 30-027 | 1/2"             |  |
| 30-028 | 5/8"             |  |
| 30-029 | 3/4"             |  |
| 30-046 | 1"(3/4" threads) |  |
| 30-030 | 1"               |  |

## STAINLESS STEEL 316


|          |      |  |
|----------|------|--|
| 30-027SS | 1/2" |  |
| 30-028SS | 5/8" |  |
| 30-029SS | 3/4" |  |

**GARDEN HOSE****BRASS FITTINGS****FEMALE SWIVEL ONLY - Short Shank Knurled Nut**

| Part # | Hose Barb x FGH | A    | B    | Approx. Wt. Lbs. |  |
|--------|-----------------|------|------|------------------|--|
| 30-466 | 1/2" x 3/4"     | 1.50 | 0.88 | 0.08             |  |
| 30-467 | 5/8" x 3/4"     | 1.50 | 0.88 | 0.09             |  |
| 30-468 | 3/4" x 3/4"     | 1.47 | 0.88 | 0.10             |  |

**FEMALE END ONLY - Short Shank w/ hex**

| Part # | Hose x FGH  | A    | B    | Hex  | Approx. Wt. Lbs. |  |
|--------|-------------|------|------|------|------------------|--|
| 30-453 | 1/2" x 3/4" | 1.63 | 1.00 | 1.18 | 0.11             |  |
| 30-454 | 5/8" x 3/4" | 1.63 | 1.00 | 1.18 | 0.11             |  |
| 30-455 | 3/4" x 3/4" | 1.63 | 1.00 | 1.18 | 0.13             |  |

**MALE END ONLY - Short Shank**

| Part # | Hose Barb x MGH | A    | B    | Hex  | Approx. Wt. Lbs. |  |
|--------|-----------------|------|------|------|------------------|--|
| 30-471 | 1/2" x 3/4"     | 1.55 | 0.88 | 1.06 | 0.11             |  |
| 30-472 | 5/8" x 3/4"     | 1.56 | 0.88 | 1.06 | 0.12             |  |
| 30-473 | 3/4" x 3/4"     | 1.56 | 0.88 | 1.06 | 0.13             |  |

**GARDEN HOSE COUPLING SETS - Short Shank with Knurled Nut**


| Part # | Hose Barb |  |
|--------|-----------|--|
| 30-461 | 1/2"      |  |
| 30-462 | 5/8"      |  |
| 30-463 | 3/4"      |  |

**GARDEN HOSE COUPLING SETS - Short Shank w/ hex nut**


| Part # | Hose Barb |  |
|--------|-----------|--|
| 30-457 | 1/2"      |  |
| 30-458 | 5/8"      |  |
| 30-459 | 3/4"      |  |

**FEMALE SWIVEL ONLY - 2" SHANK**

•WASHER INCLUDED



| Part # | Hose Barb x FGH | A    | B    | Hex  | Approx. Wt. Lbs. |  |
|--------|-----------------|------|------|------|------------------|--|
| 30-505 | 1/2" x 3/4"     | 2.55 | 2.04 | 1.18 | 0.13             |  |
| 30-506 | 5/8" x 3/4"     | 2.56 | 2.04 | 1.18 | 0.16             |  |
| 30-507 | 3/4" x 3/4"     | 2.67 | 2.04 | 1.18 | 0.17             |  |
| 30-508 | 1" x 1"         | 2.84 | 2.03 | 1.43 | 0.29             |  |

**MALE END ONLY - 2" SHANK**

| Part # | Hose Barb x MGH | A    | B    | Hex  | Approx. Wt. Lbs. |  |
|--------|-----------------|------|------|------|------------------|--|
| 30-510 | 1/2" x 3/4"     | 2.72 | 2.04 | 1.06 | 0.16             |  |
| 30-511 | 5/8" x 3/4"     | 2.72 | 2.04 | 1.06 | 0.17             |  |
| 30-512 | 3/4" x 3/4"     | 2.72 | 2.04 | 1.06 | 0.20             |  |
| 30-513 | 1" x 1"         | 2.90 | 2.03 | 1.37 | 0.28             |  |


**GARDEN HOSE COUPLING SETS - 2" SHANK**

| Part # | Hose x FGH |  |
|--------|------------|--|
| 30-516 | 1/2"       |  |
| 30-517 | 5/8"       |  |
| 30-518 | 3/4"       |  |
| 30-519 | 1"         |  |

ROCHESTER INDUSTRIAL PRODUCTS




## NPSM FEMALE SHORT SHANK



| Part # | Hose ID | NPSM Thread | A    | B    | Hex  |  |
|--------|---------|-------------|------|------|------|--|
| 30-545 | 1/2     | 3/4"        | 1.45 | 0.88 | 1.18 |  |
| 30-546 | 5/8     | 3/4"        | 1.47 | 0.88 | 1.18 |  |
| 30-547 | 3/4     | 3/4"        | 1.47 | 0.88 | 1.18 |  |
| 30-548 | 1       | 1"          | 1.50 | 1.00 | 1.50 |  |

## NPSM MALE SHORT SHANK




| Part # | Hose ID | NPSM Thread | A    | B    | Hex  |  |
|--------|---------|-------------|------|------|------|--|
| 30-550 | 1/2     | 3/4"        | 1.56 | 0.88 | 1.06 |  |
| 30-551 | 5/8     | 3/4"        | 1.56 | 0.88 | 1.06 |  |
| 30-552 | 3/4     | 3/4"        | 1.56 | 0.88 | 1.06 |  |
| 30-553 | 1       | 1"          | 1.77 | 0.98 | 1.30 |  |

## NPSM SHORT SHANK SETS




| Part # | Size |  |
|--------|------|--|
| 30-540 | 1/2" |  |
| 30-541 | 5/8" |  |
| 30-542 | 3/4" |  |
| 30-543 | 1"   |  |

## NPSM FEMALE LONG SHANK



| Part # | Hose ID | NPSM Thread | A    | B    | Hex  |  |
|--------|---------|-------------|------|------|------|--|
| 30-565 | 1/2     | 1/2"        | 2.09 | 1.50 | 0.94 |  |
| 30-566 | 5/8     | 3/4"        | 2.09 | 1.50 | 1.18 |  |
| 30-567 | 3/4     | 3/4"        | 2.09 | 1.50 | 1.18 |  |
| 30-568 | 1       | 1"          | 2.12 | 1.53 | 1.50 |  |

## NPSM MALE LONG SHANK



| Part # | Hose ID | NPSM Thread | A    | B    | Hex  |  |
|--------|---------|-------------|------|------|------|--|
| 30-570 | 1/2     | 1/2"        | 2.18 | 1.50 | 0.87 |  |
| 30-571 | 5/8     | 3/4"        | 2.18 | 1.50 | 1.06 |  |
| 30-572 | 3/4     | 3/4"        | 2.18 | 1.50 | 1.06 |  |
| 30-573 | 1       | 1"          | 2.28 | 1.53 | 1.30 |  |

## NPSM LONG SHANK SETS




| Part # | Size |  |
|--------|------|--|
| 30-560 | 1/2" |  |
| 30-561 | 5/8" |  |
| 30-562 | 3/4" |  |
| 30-563 | 1"   |  |




**GARDEN HOSE VALVES****BRASS FITTINGS****WROUGHT BRASS****WROUGHT BRASS - Female end only**

•WASHER INCLUDED




85L

| Part # | Hose Barb x FGH | A    | B    | Approx. Wt. Lbs. |  |
|--------|-----------------|------|------|------------------|--|
| 30-526 | 5/8" x 3/4"     | 1.58 | 0.91 | 0.05             |  |
| 30-527 | 3/4" x 3/4"     | 1.50 | 0.84 | 0.06             |  |


**WROUGHT BRASS COUPLINGS - Male end only**

85M


| Part # | Hose Barb x MGH | A    | B    | Approx. Wt. Lbs. |  |
|--------|-----------------|------|------|------------------|--|
| 30-530 | 1/2" x 3/4"     | 1.50 | 0.88 | 0.02             |  |
| 30-531 | 5/8" x 3/4"     | 1.50 | 0.88 | 0.02             |  |

**GARDEN HOSE VALVES****ONE WAY BRASS BALL VALVE - FGH x MGH**


| Part # | FGH x MGH   | A    | B    | C    | Hex  | Approx. Wt. Lbs. |  |
|--------|-------------|------|------|------|------|------------------|--|
| 30-161 | 3/4" x 3/4" | 1.55 | 1.89 | 1.31 | 1.06 | 0.42             |  |

**ONE WAY BRASS BALL VALVE - Female Pipe x MGH**


| Part # | Female NPTF x MGH | A    | B    | C    | Hex  | Approx. Wt. Lbs. |  |
|--------|-------------------|------|------|------|------|------------------|--|
| 30-162 | 3/4" x 3/4"       | 1.55 | 1.89 | 1.31 | 1.06 | 0.42             |  |

**ZINC ALLOY HOSE SHUT-OFF W/ ONE LEVER**


| Part # | FGH x MGH   | A    | Approx. Wt. Lbs. |  |
|--------|-------------|------|------------------|--|
| 30-631 | 3/4" x 3/4" | 1.67 | 0.08             |  |

**PLASTIC GARDEN HOSE VALVE • CYCOLAC BODY & BALL**


| Part # | FGH x MGH   | A    | Hex  | Approx. Wt. Lbs. |  |
|--------|-------------|------|------|------------------|--|
| 30-163 | 3/4" x 3/4" | 1.75 | 1.25 | 0.04             |  |

**PLASTIC, NON-CORROSIVE, 2-WAY HOSE SHUT-OFF "Y"**

| Part # | Size | A    | B    | Approx. Wt. Lbs. |  |
|--------|------|------|------|------------------|--|
| 30-160 | 3/4" | 0.74 | 1.87 | 0.08             |  |

**"Y" SHAPE ZINC ALLOY CONNECTOR W/ TWO LEVERS**

| Part # | Size | A    | B    | Approx. Wt. Lbs. |  |
|--------|------|------|------|------------------|--|
| 30-626 | 3/4" | 0.60 | 1.66 | 0.10             |  |

**ZINC ALLOY SWIVEL HOSE CONNECTOR**

| Part # | Size | A    | B    | Approx. Wt. Lbs. |  |
|--------|------|------|------|------------------|--|
| 30-629 | 3/4" | 1.31 | 1.50 | 0.08             |  |

**"Y" SHAPE BRASS CONNECTOR W/ 2-WAY SHUT OFF**


• Brass Levers

| Part # | Size | Description                      | Approx. Wt. Lbs. |  |
|--------|------|----------------------------------|------------------|--|
| 30-627 | 3/4" | 3/4 Double Y valve, swivel inlet | 0.56             |  |

## GARDEN HOSE


## BRASS FITTINGS

## BRASS NOZZLE




| Part # | Size | A    | Approx. Wt. Lbs. |  |
|--------|------|------|------------------|--|
| 30-637 | 3/4" | 1.87 | 0.14             |  |

## 3" CROSSED PATTERN BRASS NOZZLE



| Part # | Size | A    | Approx. Wt. Lbs. |  |
|--------|------|------|------------------|--|
| 30-640 | 3/4" | 2.89 | 0.25             |  |

## 4" CROSSED PATTERN BRASS NOZZLE



| Part # | Size | A    | Approx. Wt. Lbs. |  |
|--------|------|------|------------------|--|
| 30-638 | 3/4" | 3.80 | 0.50             |  |




Adjustable Spray

| Part # | Size   | Zinc Alloy spray nozzle with insulated handle soft grip and front thread protector |  |
|--------|--------|------------------------------------------------------------------------------------|--|
| 30-600 | 5-1/2" |                                                                                    |  |



Lead Free

| Part # | Size   | Zinc Alloy spray nozzle |  |
|--------|--------|-------------------------|--|
| 30-620 | 4-1/4" |                         |  |

Lead Free  
Adjustable Spray

| Part # | Size   | Zinc Alloy spray nozzle with easily adjustable brass head and plastic grip |  |
|--------|--------|----------------------------------------------------------------------------|--|
| 30-609 | 5-1/4" |                                                                            |  |



| Part # | Size   | Plastic spray nozzle |  |
|--------|--------|----------------------|--|
| 30-630 | 4-1/2" |                      |  |